

Prior Art

Fig. 1




Fig. 3A




Fig. 3B




Fig. 3C




Fig. 3D




Fig. 3E




Fig. 3F




Fig. 3G




Fig. 3H




Fig. 4B




Fig. 4C

Fig. 4E




Fig. 5A




Fig. 5B

General Settings | File Transfer Settings | Results

FTP User

☒ Anonymous

☐ FTP Username:

 Password:

 Confirm Password:

Destination Folder

☒ Default (FTP Home Directory)

☐ Use following folder:

Fig. 5C

General Settings | File Transfer Settings | Results

Destination Folder

☒ Default (Remote SFTP folder)

☐ Use following remote folder:

Fig. 5D




Fig. 5E




Fig. 5F

HTTP Redirector Configuration

Redirector Listening Port

Port No.:

Functional Resource Port

SID Address:

Server Selection Method

☐ Best statistics

☒ Round robin

Web Servers

Server Address	Port	Statistic
192.168.	80	0

Fig. 5G




Fig. 5H




Fig. 5I




Fig. 5J




Fig. 5K




Fig. 5L

Connection Object Parameters

Provider:

Parameters:

Security: ☒ Define Username & Password for this Database Connection

Unless specified otherwise at connection time, the following username and password will be used:

Username: Password:

Fig. 5m




Fig. 5N




Fig. 5O

General Settings | File Transfer Settings | Results

FTP User

☒ Anonymous

☐ FTP Username:

 Password:

 Confirm Password:

Destination Folder

☒ Default (FTP Home Directory)

☐ Use following folder:

Fig. 5P

General Settings | File Transfer Settings | Results

Destination folder

Drive:

☒ Local Network Drive

Folders:

- C:\
- Program Files
- MetLink
- System Enterprise 2.2**
- Client DLLs
- HistoryLog

Selected Folder:

C:\System Enterprise 2.2\

Fig. 5Q

